



ETA-Danmark A/S  
Göteborg Plads 1  
DK-2150 Nordhavn  
Tel. +45 72 24 59 00  
Internet [www.etadanmark.dk](http://www.etadanmark.dk)

Authorised and notified  
according to Article 29 of the  
Regulation (EU)  
No 305/2011 of the European  
Parliament and of the Council  
of 9 March 2011

MEMBER OF EOTA



## European Technical Assessment ETA-20/1323 of 2025/07/24

### I General Part

**Technical Assessment Body issuing the ETA and designated according to Article 29 of the Regulation (EU) No 305/2011: ETA-Danmark A/S**

**Trade name of the construction product:**

Perlinato Strutturale

**Product family to which the above construction product belongs:**

Structural timber products

**Manufacturer:**

Consorzio Servizi Legno-Sughero  
Foro Buonaparte 12  
20121 Milano  
Italy

**Manufacturing plant:**

See Annex 1

**This European Technical Assessment contains:**

18 pages including 4 annexes which form an integral part of the document

**This European Technical Assessment is issued in accordance with Regulation (EU) No 305/2011, on the basis of:**

EAD 130196-00-03.04 "Solid Wood Boards for Flatwise Structural Use with Overlapping Edge Profiles"

**This version replaces:**

The ETA with the same number issued on 2023-03-02

Translations of this European Technical Assessment in other languages shall fully correspond to the original issued document and should be identified as such.

Communication of this European Technical Assessment, including transmission by electronic means, shall be in full (except for any confidential Annex(es)). However, partial reproduction may be made, with the written consent of the issuing Technical Assessment Body. Any partial reproduction has to be identified as such.

## 1 Technical Description of the Product

### 1.1 General

This European Technical Assessment – ETA – applies to solid wood boards for flatwise structural use with overlapping edge profiles:

#### “Perlinato strutturale”

Solid wood boards for flatwise structural use with overlapping edge profiles (hereinafter “the profiled boards” or “the product”) are:

- Visually graded flatwise based on a modified cross-section in accordance with DIN 4074-1 to S7, S10 or S13 or DIN 4074-5 to LS10 and better
- Assigned to a strength class based on the flatwise grade, the species and the source
- From the combinations of species and sources given in Clause 1.2 below
- Not treated with a fire retardant
- Not preservative treated
- Made exclusively of virgin wood; no recycled wood is used

The profiled boards are equipped with complementary tongue and groove or rebate profiles parallel to the grain direction along the opposing narrow edges. Examples of profiled cross section geometries are shown in Annex 2 (Figure 1 and Figure 2).

The minimum dimensions of the nominal cross section of the profiled boards are:

Thickness	18 mm
Width	80 mm

**NOTE:** The cross section of the profiled boards is rectangular, if the overlapping edge profiles are neglected (Annex 1, Figure 1 and Figure 2).

### 1.2 Wood Species and Source

Wood Species (softwood):

- Spruce (*Picea abies* (L.) Karst), Fir (*Abies alba* Mill.), Larch (*Larix decidua* Mill.), Pine (*Pinus sylvestris* L.).  
Source is Central, Northern and Eastern (CNE) Europe
- Douglas Fir (*Pseudotsuga menziesii* Mill.).  
Source is Germany and Austria
- Wood Species (hardwood):
- Oak (*Quercus petraea* Liebl. and *Quercus robur* L.).  
Source is Germany
- Sweet Chestnut (*Castanea sativa* Mill.)  
Source is Italy and France

## **2 Specification of the Intended Use in Accordance with the Applicable European Assessment Document (hereinafter EAD)**

### **2.1 Intended Use**

The profiled boards are intended for use in buildings as a structural component of walls, floors and roofs in Service Classes 1 and 2 according to EN 1995-1-1. The profiles have no structural function, but prevent gaps opening between boards.

Within a roof construction, the product will not contribute to the water tightness, but will receive a suitable waterproofing and roof covering. Waterproofing and roof covering are not within the scope of the EAD and ETA.

### **2.2 Assumptions**

#### **2.2.1 General**

Concerning product packaging, transport, storage, maintenance, replacement, and repair it is the responsibility of the manufacturer to undertake the appropriate measures and to advise his clients on transport, storage, maintenance, replacement, and repair of the product as he considers necessary.

#### **2.2.2 Design**

The European Technical Assessment only applies to the manufacture and use of the profiled boards. Verification of stability of the works including application of loads on the products is not subject to this European Technical Assessment.

The following conditions shall be observed:

- Design of the product is carried out under the responsibility of an engineer experienced in such products;
- Verification is carried out by applying the rectangular cross section (the profiles have no structural function, but only prevent gaps opening between boards – see Figure 1 and Figure 2);
- Design of the works shall account for the protection of the profiled boards;
- The product is installed correctly;

Design of the product is according to EN 1995-1-1, EN 1995-1-2 and EN 1998-3 (for seismic actions), taking into account of Annex 3 of the European Technical Assessment. Standards and regulations in force at the place of use shall be considered.

#### **2.2.3 Manufacturing**

The profiled boards are manufactured according to the provisions of this European Technical Assessment. The product is produced by machining suitable boards, which are graded in accordance with EN 14081-1 (either dry-graded or not) on the assumption of a reduced cross-section. If required, moisture content is determined in accordance with EN 13183-2.

## **2.2.4 Packaging, Transport and Storage**

The manufacturer's instruction for packaging, transport and storage shall be observed. The following aspects shall be considered:

- protection against unfavourable environmental effects;
- protection against external damage, that may affect the proper assembling of the profiled boards;
- intermediate storage at the construction site

## **2.2.5 Installation**

### **2.2.5.1 General**

The manufacturer shall provide installation instructions containing provisions to be followed to achieve the expected performance. It is assumed that the profiled boards will be installed according to the manufacturer's instructions.

### **2.2.5.2 Use, Maintenance and Repair of the Works**

The profiled boards should not require maintenance or repair during the assumed working life if subject to normal use. Severe damage of the profiled boards may require immediate remedial action to restore the mechanical resistance and stability of the works.

If repair is deemed necessary it is generally made by replacement.

## **2.3 Assumed Working Life**

This European Technical Assessment assumes a working life of 50 years for the profiled boards, when installed in the works, provided that the profiled boards are subject to appropriate installation, use, and maintenance (see Clause 2.2). These provisions are based upon the current state of the art and the available knowledge and experience.

In normal use conditions the real working life may be considerably longer without major degradation affecting the basic requirements for works<sup>1</sup>.

The indications given as to the working life of the construction product cannot be interpreted as a guarantee, neither given by the product manufacturer or his representative nor by EOTA nor by the Technical Assessment Body, but are regarded only as a means for expressing the expected economically reasonable working life of the product.

---

<sup>1</sup> The real working life of a product incorporated in a specific works depends on the environmental conditions to which that works are subject, as well as on the particular conditions of design, execution, use and maintenance of that works. Therefore, it cannot be excluded that in certain cases the real working life of the product may also be shorter than the working life indicated above.

### 3 Performance of the Product and References to the Methods used for its Assessment

#### 3.1 Essential Characteristics

The performance characteristics of the profiled boards are given in Table 1.

**Table 1:** Essential Characteristics and Performance of the Product

No.	Essential Characteristic	Product Performance
<b>Basic Works Requirement 1: Mechanical Resistance and Stability<sup>1</sup></b>		
1	Bending Strength	See Annex 4
2	Tension Strength Parallel	See Annex 4
3	Tension Strength Perpendicular	See Annex 4
4	Compression Strength Parallel	See Annex 4
5	Compression Strength Perpendicular	See Annex 4
6	Shear Strength	See Annex 4
7	Modulus of Elasticity Parallel	See Annex 4
8	Modulus of Elasticity Perpendicular	See Annex 4
9	Shear Modulus	See Annex 4
10	Density	See Annex 4
11	Dimensional Stability	See Annex 4
12	Durability of Timber	See Annex 4
<b>Basic Works Requirement 2: Safety in Case of Fire</b>		
13	Reaction to Fire	See Annex 4
14	Resistance to Fire	See Annex 4
<b>Basic Works Requirement 4: Safety and Accessibility in Use</b>		
15	Same as Basic Works Requirement 1	————

#### 3.2 Assessment Methods

The assessment of the essential characteristics in Clause 3.1 of the profiled boards for the intended uses and in relation to the requirements for mechanical resistance and stability, for safety in case of fire, and for hygiene health, and the environment in the sense of the Basic Works Requirements № 1 to 3 of Regulation (EU) № 305/2011 has been made in accordance with the European Assessment Document EAD 130196-00-0304 for solid wood boards for structural use with overlapping edge profiles.

### **3.3 Identification**

This European Technical Assessment for the profiled boards is issued on the basis of agreed data that identify the assessed product<sup>2</sup>. Changes to materials, to composition, to characteristics, or to the production process of the profiled boards could result in these deposited data being incorrect. ETA-Danmark A/S should be notified before the changes are introduced, as an amendment of the European Technical Assessment may be necessary.

---

<sup>2</sup> The technical file of the European Technical Assessment is deposited at ETA-Danmark A/S

#### **4 Assessment and Verification of Constancy of Performance (hereinafter AVCP) System applied, with reference to its Legal Base**

##### **4.1 System of Assessment and Verification of Constancy of Performance**

According to Commission Decision 97/176/EC the system of assessment and verification of constancy of performance to be applied to solid wood boards for flatwise structural use with overlapping edge profiles is System 2+.

#### **5 Technical Details Necessary for the Implementation of the AVCP System, as provided for in the applicable EAD**

Technical details necessary for the implementation of the Assessment and Verification of Constancy of Performance (AVCP) are laid down in the control plan deposited at ETA-Danmark A/S prior to CE marking.

Issued in Copenhagen on 2025-07-24 by



Thomas Bruun  
Managing Director, ETA-Danmark A/S



**Annex 1 Manufacturing Plants**

<b>Company</b>	<b>Address</b>	<b>Manufacturing plants</b>
ALFANO SPA	Via Stromboli 227/E - 87032 - Amantea (CS)	Via Europa 168/B - 87032 - Amantea (CS)
ANSALDI LEGNAMI S.R.L.	Strada del Rondello, 12 - 10028 - Trofarello - (TO)	Strada del Rondello, 12 - 10028 - Trofarello - (TO)
		Via Torino, 280 A - 10028 - Trofarello - (TO)
ARANOVA SRL	Località Fontana Martino, 3 - 03024 Ceprano - (FR)	Località Fontana Martino, 3 - 03024 Ceprano - (FR)
ARTENA LEGNAMI SRL	Via Ariana 12 - 00031 - Artena (RM)	Via Ariana, 12 - 00031 - Artena - (RM)
B TIMBER SOC. COOP.	Via Palade, 93 - 38013 - Borgo D'Anania (TN)	Via Palade, 93 - 38013 - Borgo D'Anania (TN)
BALCONI GIANNINO SRL	Via Sempione 48/B - 21029 - Vergiate - (VA)	Via Sempione 48/B - 21029 - Vergiate - (VA)
BMS EUROLEGNO DI BOLECH STEFANO E C. S.N.C.	Loc. Parnovale - Fraz. Sille - 38045 CIVEZZANO (TN)	Loc. Parnovale - Fraz. Sille - 38045 CIVEZZANO (TN)
CAVANNA S.R.L.	Regione S. Carlo, 375 - 15078 - Rocca Grimalda - (AL)	Regione S. Carlo, 375 - 15078 - Rocca Grimalda - (AL)
CENTRO LEGNO DI PERUZZI ANTONIO E C. S.N.C.	Via Guido Rossa 6 - 59015 - Comeana - Carmignano - (PO)	Via Guido Rossa 6 - 59015 - Comeana - Carmignano - (PO)
CENTRO LEGNO ITALIA SRL	Zona Industriale 146/B - 63095 - Paggese - Acquasanta Terme - (AP)	Zona Industriale 146/B - 63095 - Paggese - Acquasanta Terme - (AP)
CHINUCCI LEGNAMI SRL	Via Cassia Cimina, km 29 - 01037 - Ronciglione - (VT)	Via Cassia Cimina, km 29 - 01037 - Ronciglione - (VT)
CONFETTI LEGNAMI SRL	Via del Lavoro, 4 - 42019 - Pratissolo di Scandiano - (RE)	Via del Lavoro, 4 - 42019 - Pratissolo di Scandiano - (RE)
DELLA CIANA LEGNAMI S.R.L.	Via Fondovalle, 41 - 53043 - Chiusi - (SI)	Via Fondovalle, 41 - 53043 - Chiusi - (SI)
DIEMME LEGNO S.N.C.	Località La Dobbie - 33016 - Pontebba - (UD)	Zona P.I.P. - Frazione S. Leopoldo - 33016 Pontebba - (UD)
DONATI LEGNAMI S.P.A.	Via Maestri del Lavoro, 8 - 52037 - Sansepolcro - (AR)	Via Maestri del Lavoro, 8 - 52037 - Sansepolcro - (AR)
ECOLEGNO SRL	Via A. Volta, 191/197 - 46030 - Sustinente (MN)	Via A. Volta, 191/197 - 46030 - Sustinente (MN)
E.COMOTTI S.R.L.	Via Galileo Galilei, 43 - 20091 - Bresso - (MI)	Via Galileo Galilei, 43 - 20091 - Bresso - (MI)
F.A.S.S. 2001 DI SILVI FABRIZIO	Nucleo Industriale La Torraccia - 05013 - Castel Giorgio - (TR)	Nucleo Industriale La Torraccia - 05013 - Castel Giorgio - (TR)
F.B.E. di FONGARO ENRICO & C. SNC	Via dell'Industria, 1 - 36070 - Castelfomberto - (VI)	Via dell'Industria, 1 - 36070 - Castelfomberto - (VI)
F.LLI ALIMONTI S.R.L.	Via Cona, 29/31 - 66010 - Pretoro - (CH)	Via Cona, 29/31 - 66010 - Pretoro - (CH)


<b>Company</b>	<b>Address</b>	<b>Manufacturing plants</b>
F.LLI SOLIANI SRL	Via F. Petrarca 30 - 42045 - Luzzara - (RE)	Via F. Petrarca 30 - 42045 - Luzzara - (RE)
FAS SRL	Località Pangoni, 31 - 37022 - Fumane - (VR)	Località Pangoni, 31 - 37022 - Fumane - (VR)
FDA SRL	Via dell'Artigiano, 34 - 35040 - Ponso - (PD)	Via dell'Artigiano, 34 - 35040 - Ponso - (PD)
FRASCA LEGNAMI DI FRASCA ARMANDO	Via Roma, 245 - 00076- Lariano - (RM)	Via Roma, 245 - 00076- Lariano - (RM)
FRATELLI BUINI LEGNAMI S.R.L.	Z.I. - Via dei Fornaciai n. 8 - 06081 - Assisi - (PG)	Z.I. - Via dei Fornaciai n. 8 - 06081 - Assisi - (PG)
FRATELLI VIDONI S.R.L.	Via Pontebbana, 46 - 33010 - Cassacco - (UD)	Via Pontebbana, 46 - 33010 - Cassacco - (UD)
FREZZA LEGNAMI SPA	Via Tommaso Columbo, 49 - 70132 - Bari - (BA)	Via Tommaso Columbo, 49 - 70132 - Bari - (BA)
GALANTE F.LLI SRL	Via Roma, 136 - 38083 - Borgo Chiese - (TN)	Via Roma, 136 - 38083 - Borgo Chiese - (TN)
GALIMBERTI S.R.L.	Via Mulino, 21 - 23871 - Lomagna - (LC)	Via Mulino, 21 - 23871 - Lomagna - (LC)
GRIBAUDO LEGNAMI SRL	Via Guglielmo Marconi, 30 - 10030 - Rondissone - (TO)	Via Guglielmo Marconi, 30 - 10030 - Rondissone - (TO)
GROSSI MAURO	Località le Fornaci snc - 67067- Sante Marie (AQ)	Località le Fornaci snc - 67067- Sante Marie (AQ)
GROSSO S.R.L.	Via Ca' Corner Sud, 41 - 30020 - Meolo - (VE)	Via Ca' Corner Sud, 41 - 30020 - Meolo - (VE)
GRUPPO F.LLI SECCHIAROLI SRL	Via De Gasperi, 24 - 61038 - Orciano - Terre Roveresche - (PU)	Via Cesanese, 184 - 61040 CASTELVECCHIO (PU)
GUIDOTTI LEGNAMI S.R.L.	Via Ciriano Centro, 17 - 29013 - Carpaneto Piacentino - (PC)	Via Ciriano Centro, 17 - 29013 - Carpaneto Piacentino - (PC)
I.L.M.A. INDUSTRIA LEGNO MAGLIANO ALPI SRL	S.S. 28 Via Colle di Nava, 30 - 12060 - Magliano Alpi - (CN)	S.S. 28 Via Colle di Nava, 30 - 12060 - Magliano Alpi - (CN)
IMBERTI LEGNAMI SRL	Via Roma, 2 - 24020 - Fiorano Al Serio - (BG)	Via Roma, 2 - 24020 - Fiorano Al Serio - (BG)
IMOLA LEGNO SPA	Via Don L. Sturzo, 10 - 40026 - Imola - (BO)	Via della Dogana 3 - 548022 - Lugo - (RA)
		Via Don L. Sturzo, 10 - 40026 - Imola - (BO)
LA EDILEGNO SRL	Via Vittorio Veneto 31/H - 31014 - San Martino - Colle Umberto - (TV)	Via Vittorio Veneto 31/H - 31014 - San Martino - Colle Umberto - (TV)
LEGNAMI MALUGANI SRL	Via Provinciale, 91 - 23818 - Pasturo - (LC)	Via Provinciale, 91 - 23818 - Pasturo - (LC)
LEGNAMI PAOLINI S.N.C. DI PAOLINI LANDO & C.	Strada Statale Flaminia, km 132 - 06049 - Spoleto - (PG)	Strada Statale Flaminia, km 132 - 06049 - Spoleto - (PG)
LEGNAMI PRIOLA SRL	Via Circonvallazione, 11/B - 12061 Carrù (CN)	Via Circonvallazione, 11/B - 12061 Carrù (CN)
LEGNAMI SANGIORGIO DI MOLteni A. E C SAS	Via Trieste, 28 - 22036 - Erba - (CO)	Via Trieste, 28 - 22036 - Erba - (CO)

<b>Company</b>	<b>Address</b>	<b>Manufacturing plants</b>
LO CASTRO COMMERCIALE SRL	Via Ugo La Malfa, 5 - 90146 - Palermo - (PA)	Via Ugo La Malfa, 5 - 90146 - Palermo - (PA)
LEGNOTEK S.P.A. SOCIETA' BENEFIT	Via del Plebiscito, 107 - 00186 - Roma - (RM)	Località Saineta, snc - 01030 - Bassano in Teverina - (VT)
MARIANA LUIGI SRL	Via Provinciale per Dubino, 2 - 23014 - Andalo Valtellino - (SO)	Via Provinciale per Dubino, 2 - 23014 - Andalo Valtellino - (SO)
MASTRANGELI ALDO SRL	Zona Artigianale, snc - 67028 - San Demetrio Ne' Vestini - (AQ)	Zona Artigianale, snc - 67028 - San Demetrio Ne' Vestini - (AQ)
MDR LEGNAMI SRL	Via Nazionale, 7 - 23014 - Andalo Valtellino - (SO)	Via Bornigoli, 6 - 23014 - Andalo Valtellino - (SO)
MIRRIONE FRANCESCO LEGNAMI S.R.L.	Contrada Gammara, 25 - 91011 - Alcamo - (TP)	Contrada Fegotto Z.I. - S.S. 113 Km 335 - 91013 - Calatafimi Segesta - (TP)
NULLI SRL	Via Roma, 1 - 25049 - Iseo - (BS)	Via Roma, 1 - 25049 - Iseo - (BS)
PACCHIANI HOLZ SRL	Via dei Folzoni, 12 - 24052 - Azzano San Paolo - (BG)	Via dei Folzoni, 12 - 24052 - Azzano San Paolo - (BG)
PERLARREDI SRL	Via Peperate, 41 - 33082 - Azzano Decimo (PN)	Via Peperate, 41 - 33082 - Azzano Decimo (PN)
PIANGOLI LEGNO DI PESCIAROLI G. P. & F.L	Strada Provinciale Piangoli, km 1 - 01038 - Soriano Nel Cimino - (VT)	Strada Provinciale Piangoli, km 1 - 01038 - Soriano Nel Cimino - (VT)
LUIS PLUNGER & FIGLIO S.P.A.	Via Prà di sopra, 1 - 39045 - Fortezza - (BZ)	Via Prà di sopra, 1 - 39045 - Fortezza - (BZ)
PORTIOLI LEGNAMI SNC DI PAOLO PORTIOLI	Via Dante Alighieri, 56 - 37068 - Vigasio (VR)	Via Dante Alighieri, 56 - 37068 - Vigasio (VR)
QUINCI MAURO	Via S. Rocco 44 - Serre di Rapolano - 53040 - Rapolano Terme - (SI)	Località Le Case, snc - 53040 - Rapolano Terme - (SI)
RENZETTI SAVERIO & FRATELLI SNC	Via Dei Guazzi snc - 52011 - Bibbiena - (AR)	Via Dei Guazzi snc - 52011 - Bibbiena - (AR)
RIVESTIMENTI LEGNO SRL	Viale dell'Industria, 3 - 38057 - Pergine Valsugana - (TN)	Viale dell'Industria, 3 - 38057 - Pergine Valsugana - (TN)
S.I.L.E.A. SOCIETA' INDUSTRIALE LEGNAMI E AFFINI SRL	Via Alzaia sul Sile, 1 - 31057 - Silea - (TV)	Via Alzaia sul Sile, 1 - 31057 - Silea - (TV)
SANTINI S.R.L.	Via Provinciale, 10/A - 55064 - Piegajo Basso - Pescaglia - (LU)	Via Provinciale, 10/A - 55064 - Piegajo Basso - Pescaglia - (LU)
SARDI LEGNAMI S.A.S. DI SARDI ANTONIO GIOVANNI E C.	Via Buonarroto, 178 - 20900 - Monza - (MB)	Via Buonarroto, 178 - 20900 - Monza - (MB)
SEGHERIA ALTO TENNA SRL	Loc. Santa Maria - Coriconi, 4A - 63857 - Amandola - (FM)	Loc. Santa Maria - Coriconi, 4A - 63857 - Amandola - (FM)
SEGHERIA CERVELLA S.R.L.	Via G. Tomatis, 42 - 12060 - Magliano Alpi - (CN)	Via G. Tomatis, 42 - 12060 - Magliano Alpi - (CN)
SEGHERIA VALLE SACRA SRL	Via Castelnuovo Nigra, 10 - 10081 - Castellamonte - (TO)	Via Castelnuovo Nigra, 10 - 10081 - Castellamonte - (TO)


<b>Company</b>	<b>Address</b>	<b>Manufacturing plants</b>
S.I.B.I. -SEGHERIA INDUSTRIALE BOSCHIVA IMMOBILIARE- S.R.L.	Via Ciarlotti, 1 - 00076 - Lariano - (RM)	Via Ciarlotti, 1 - 00076 - Lariano - (RM)
SILVESTRI LEGNAMI SRL	Stradone Lungo snc - 00063 - Campagnano di Roma (RM)	Strada Statale Cassia Nord Km 87,100 - 01100 - Viterbo (VT)
SILVESTRI SRL	Via Stella, 15 - 38123 - Ravina - Trento - (TN)	Via Stella, 15 - 38123 - Ravina - Trento - (TN)
SPEA TECNOLOGIE EDILI S.R.L.	Via Campomaggio, 114 - 62010 - Morrovalle - (MC)	Via Campomaggio, 114 - 62010 - Morrovalle - (MC)
SUBISSATI S.R.L.	Via F.lli Lombardi 6 - 60010 - Ostra Vetere - (AN)	Via F.lli Lombardi 6 - 60010 - Ostra Vetere - (AN)
TONIN AMPELIO SRL	Via Schiavonesca Priula, 154 - 31044 - Montebelluna - (TV)	Via Schiavonesca Priula, 154 - 31044 - Montebelluna - (TV)
VILTE LEGNAMI SRL	Via Toscanini, 3 - 20063 - Cernusco Sul Naviglio - (MI)	Via Toscanini, 3 - 20063 - Cernusco Sul Naviglio - (MI)
WOOD BETON S.P.A.	Via Roma, 1 - 25049 - Iseo - (BS)	Via Roma, 1 - 25049 - Iseo - (BS)
WOODEN BUILDINGS SRLS	via Della Stazione, 67 - 60022 - Castelfidardo - (AN)	via Della Stazione, 67 - 60022 - Castelfidardo - (AN)
WOODEN HOUSES SRL	Via Salvo D'Acquisto, 60 - 61048 - Sant'Angelo In Vado - (PU)	Via Salvo D'Acquisto, 60 - 61048 - Sant'Angelo In Vado - (PU)

## Annex 2 Geometry and Installation of Profiled Boards – Examples


**Figure 1:** Example of cross section of solid wood boards for flatwise structural use with overlapping edge profiles – complementary tongue and groove. The dashed lines show the limits of the width of the cross section for grading and design.




**Figure 2:** Example of cross section of solid wood boards for flatwise structural use with overlapping edge profiles – complementary rebates. The dashed lines show the limits of the width of the cross section for grading and design.




**Figure 3:** Example: staggered lay-up of tongue and groove profiled boards.




**Figure 4:** Example: staggered lay-up of rebate profiled boards.



**Figure 5:** Example: crossed lay-up of tongue and groove profiled boards.



**Figure 6:** Example: crossed lay-up of rebate profiled boards.



### Annex 3 Design of Solid Wood boards for Flatwise Structural Use with Overlapping Edge Profiles

Design of solid wood boards for flatwise structural use with overlapping edge profiles is in accordance with EN 1995-1-1, EN 1995-1-2 and EN 1998-3 (for seismic actions), taking into account the following items.

- a) For mechanical actions perpendicular to the plane

According to Clause 3.2 of EN 1995-1-1, for solid timber with a characteristic density  $\leq 700 \text{ kg/m}^3$  the reference depth of the nominal cross-section in bending is 150 mm. For depths in bending of solid timber less than 150 mm the characteristic value  $f_{m,k}$  should be increased by the factor  $k_h$  given by:

$$k_h = \min \left\{ \left( \frac{150}{h} \right)^{0,2} \right. \\ \left. 1,3 \right.$$

Where  $h$  is the depth in bending in mm.

According to Clause 6.6 of EN 1995-1-1, when the profiled boards are installed in more than one layer (either staggered as in Figures 3 and 4 or crossed as in Figures 5 and 6), the member strength properties shall be multiplied by a system strength factor  $k_{sys}$  as given in Figure 6.12 of EN 1995-1-1 for nailed or screwed laminations.

- b) For mechanical actions parallel to the plane

According to Clause 3.2 of EN 1995-1-1 for solid timber with characteristic density  $\leq 700 \text{ kg/m}^3$ , the reference width of nominal cross-section (maximum cross sectional dimension) in tension is 150 mm. For widths in tension of solid timber less than 150 mm the characteristic value  $f_{t,k}$  should be increased by the factor  $k_h$  given by:

$$k_h = \min \left\{ \left( \frac{150}{h} \right)^{0,2} \right. \\ \left. 1,3 \right.$$

Where  $h$  is the width for tension in mm.

## Annex 4 Characteristic data of solid wood boards for flatwise structural use with overlapping edge profiles

**Table 2:** Product performance of grades of S7, S10, S13 of solid wood boards for flatwise structural use with overlapping edge profiles of Spruce, Fir, Larch, Douglas Fir and Pine

BWR <sup>1)</sup>	Essential characteristic	Assessment method	Level, class or description		
			S7	S10	S13
1	<b>Mechanical resistance of solid wood boards for flatwise structural use with overlapping edge profiles of Spruce, Fir, Larch, Douglas Fir and Pine</b>				
	Strength class (Spruce and Pine)	2)	C18 or T12	C24 or T14.5	C30 or T21
	Strength class (Fir and Larch)	2)	C16 or T10	C24 or T14.5	C30 or T21
	Strength class (Douglas Fir)	2)	C18 or T12	C24 or T14.5	C35 or T26
	Dimensional timber	EN 336	Tolerance classes according to EN 336		
	Durability of timber <ul style="list-style-type: none"> <li>wood destroying fungi <sup>3)</sup></li> </ul>	EN 350	Class 5 (Class 4 if sapwood is excluded for Spruce and Fir, Class 3-4 for Pine, Class 3/4 for Larch and Douglas)		
	Service classes	EN 1995-1-1	1, 2		
2	<b>Reaction to fire</b>				
	Solid wood boards for flatwise structural use with overlapping edge profiles of Spruce, Fir, Larch, Douglas Fir and Pine	Commission Decision 2003/43/EC, as amended	D-s2, d0		
	<b>Resistance to Fire</b>				
	Charring rate	EN 1995-1-2			
<b>NOTES</b> <ol style="list-style-type: none"> <li>1) Basic Works Requirements;</li> <li>2) EAD 130196-00-0304 and EN 338;</li> <li>3) The natural durability in accordance with EN 350 shall be declared with specific reference to sapwood if the producer makes no special provision for its exclusion.</li> </ol>					



**Table 3:** Product performance of grades of “LS10 and better” solid wood boards for flatwise structural use with overlapping edge profiles of Oak

BWR <sup>1)</sup>	Essential characteristic	Assessment method	Level, class or description
			LS10 and better
<b>1</b>	<b>Mechanical resistance of solid wood boards for structural use with tongue and groove profiles of Oak</b>		
	Strength class of boards (Oak)	<sup>2)</sup>	D30
	Dimensional timber	EN 336	Tolerance classes according to EN 336
	Durability of timber <ul style="list-style-type: none"> <li>• wood destroying fungi <sup>3)</sup></li> </ul>	EN 350	Class 5 (Class 2 if sapwood is excluded)
	Service classes	EN 1995-1-1	1, 2
<b>2</b>	<b>Reaction to fire</b>		
	Solid wood panelling for structural use with tongue and groove profiles of Oak	Commission Decision 2003/43/EC, as amended	D-s2, d0
	<b>Resistance to Fire</b>		
	Charring rate	EN 1995-1-2	
NOTE			
1) Basic Works Requirement;			
2) EAD 130196-00-0304 and EN 338;			
3) The natural durability in accordance with EN 350 shall be declared with specific reference to sapwood if the producer makes no special provision for its exclusion.			

**Table 4:** Product performance of grades of “LS10 and better” solid wood boards for flatwise structural use with overlapping edge profiles of Sweet Chestnut

BWR <sup>1)</sup>	Essential characteristic	Assessment method	Level, class or description
			LS10 and better
1	<b>Mechanical resistance of solid wood boards for structural use with tongue and groove profiles of Sweet Chestnut</b>		
	Strength class of boards (Sweet Chestnut)	2)	D24 or C27
	Dimensional timber	EN 336	Tolerance classes according to EN 336
	Durability of timber <ul style="list-style-type: none"> <li>• wood destroying fungi <sup>3)</sup></li> </ul>	EN 350	Class 5 (Class 2 if sapwood is excluded)
	Service classes	EN 1995-1-1	1, 2
2	<b>Reaction to fire</b>		
	Solid wood panelling for structural use with tongue and groove profiles of Sweet Chestnut	Commission Decision 2003/43/EC, as amended	D-s2, d0
	<b>Resistance to Fire</b>		
	Charring rate	EN 1995-1-2	
NOTE			
1) Basic Works Requirement;			
2) EAD 130196-00-0304 and EN 338;			
3) The natural durability in accordance with EN 350 shall be declared with specific reference to sapwood if the producer makes no special provision for its exclusion.			